


M. Schmidt

RAW SEQUENCE LISTING **ERROR REPORT**

BEST AVAILABLE COPY



The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following CRF diskette:

Application Serial Number: 09/137,059
Art Unit / Team No. : 1635
Date Processed by STIC: 2/23/99

THE ATTACHED PRINTOUT EXPLAINS THE ERRORS DETECTED.

PLEASE BE SURE TO FORWARD THIS INFORMATION TO THE APPLICANTS BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANTS ALONG WITH A NOTICE TO COMPLY or,**
- 2) CALLING APPLICANTS AND FAXING THEM A COPY OF THE PRINTOUT WITH A NOTICE TO COMPLY**

THIS WILL INSURE THAT THE NEXT SUBMISSION RECEIVED FROM THEM WILL BE ERROR FREE.

IF YOU HAVE ANY FURTHER QUESTIONS, PLEASE CALL:

ARTI SHAH 703-308-4212

M. Schmidt

1635

#7

PAGE: 1

RAW SEQUENCE LISTING
PATENT APPLICATION US/09/137,059

DATE: 02/23/1999
TIME: 14:08:37

Input Set: I137059.RAW

This Raw Listing contains the General
Information Section and those Sequences
containing ERRORS.

Does Not Comply
Corrected Diskette Needed

1 <110> Johnston, Brian
2 Kazakov, Sergei A.
3 Kisich, Kevin O.
4 <120> ANTISENSE AND ANTIGENE THERAPEUTICS WITH IMPROVED
5 BINDING PROPERTIES AND METHODS FOR THEIR USE
6 <130> A-65200/WHD/MTK
7 <140> US/09/137,059
8 <141> 1998-08-20
9 <150> 60/056,742
10 <151> 1997-08-20
11 <160> 55
12 <170> PatentIn Ver. 2.0

ERRORED SEQUENCES FOLLOW

E--> 13 <210> 7
14 <211> 19 20
15 <212> DNA
16 <213> Artificial Sequence
17 <220>
18 <223> Description of Artificial Sequence: Synthetic
19 <400> 7
20 ggcattttaaa gttgctgtcg

20

Please review the
Sequence Listing to ensure that a corresponding explanation is presented in the <220> to
<223> fields of each sequence which presents at least one n or Xaa.

PAGE: 2

VERIFICATION SUMMARY
PATENT APPLICATION US/09/137,059

DATE: 02/23/1999
TIME: 14:08:37

Input Set: I137059.RAW

Line ? Error/Warning

Original Text

14 E Input 19, Calc# Bases 20 differ

<211> 19